AUTHOR INDEX TO VOLUME 6

A

Argyris, B. F., 297

В

Bear, R. H., Jr., 547
Begley, D., 473
Benton, E. H., 259
Bigazzi, P. E., 49
Borsos, T., 283
Boyle, M. D. P., 283
Bubb, M. O., 33

C

Chen, D.-M., 395 Cinader, B., 239 Cohen, C., 373 Colledge, K., 167 Conradie, J. D., 33

D

Dahlman, H. L., 411 Dent, P. B., 133 Di Sabato, G., 395 Dominique, G., 355

E

Edberg, S. C., 517 Ellerson, J. R., 239

F

Ferrone, S., 267

Folds, J. D., 385 Forsham, A., 473

G

Gale, R. P., 455 Geyer, J. W., 183 Goldenberg, D. M., 411 Goldrosen, M. H., 133 Gray, I., 63

Η

Henderson, D. C., 195 Hengeveld, J., 517 Hirsch, R. L., 63 Horowitz, M., 297 Hosono, M., 239 Hughes, C. L., 195

J

Jeffries, B. D., 63

K

Kacena, A., 455 Kaplan, H. S., 167 Kaufman, D. B., 423 Knust, M., 423 Kong, Y. M., 183

L

Lachmann, P. J., 111 Lake, J. P., 149 Langone, J. J., 283 Lichtenbelt, J. W. Th., 517

M

Malley, A., 473
Marcus, Z. H., 355
McAdam, K. P. W. J., 1
McConnell, I., 111
Minowada, J., 483
Mittal, K. K., 267
Morgan, G. W., 259

N

Nachbar, M. S., 167 Nebel, L., 355 Neumann, A. W., 341

0

Oppenheim, J. D., 167 Owen, P., 167

P

Pant, K. D., 411 Parkhurst, C. R., 259 Pearson, C. M., 455 Pellegrino, M. A., 267 Pollock, P. S., 1 Pressman, D., 373, 547

R

Radzimski, G., 373 Reed, N. D., 149 Roholt, O. A., 373, 547 Rose, N. R., 49 S

Shambley, M. O., 259 Shtal, Y., 355 Singer, J. M., 517 Sipe, J. D., 1 Sledge, C. R., 423 Swanborg, R. H., 499 Swierkosz, J. E., 499

T

Thaxton, P., 259
Thompson, M., 13, 23
Tomazic, V., 49
Torain, B. F., 1
Tritsch, G. L., 483

U

Ulrich, J. T., 149

V

van Nieuwmegen, R., 489 van Oss, C. J., 341 van Rooijen, N., 489 Varitek, V. A., 149

W

Westall, F. C., 13, 23, 227 Wiersema, P. H., 517

Y

Yu, D. T. Y., 455

SUBJECT INDEX TO VOLUME 6

A

Adenosine deaminase activity, during growth cycle of T and B lymphoid cell lines, 483-487

Affinity binding, in the Erosette assay, influence of thymosin on, 423-435

Age, effect of on tolerance induction, 239-257

Agglutinin, identification and quantitation of solubilized I blood group substance by wheat germ agglutinin using quantitative immunoelectrophoresis, 167-181

Allergic encephalomyelitis encephalitogenic region for guinea pigs, 23-31

hyperacute, a single determinant, 227-237

Allogeneic platelets, cytotoxic antibodies to cultured human lymphoid cells in polytransfused thrombocytopenic patients, 267-282

Allogeneic tissues, syngeneic tumor rejection induced by immunization with, 547-558

Amyloid AA, acute phase serum precursor of, 1-12

Animal studies. See under individual animals

Anti-p-azobenzoate antibody, crystallization of Fab fragments from, 373-384

Antibodies

antigen-antibody binding energies and interfacial free energies, comparison between, 341-354 antilymphocyte antibody, induction of hapten-specific cell-mediated immunity in Rhesus monkeys treated with, 559-566

cytotoxic, to cultured human lymphoid cells in polytransfused thrombocytopenic patients, 267-282

determination of concentration of using a stopped flow turbidimetric technique, 517-535

hemolytic, effect of concanavalin A on functional activity of, 283-296

induced, crystallization of Fab fragments from, 373-384

to myelin basic protein; comparison between Lewis rats with experimental allergic encephalomyelitis and tolerant rats, 499-515

Antibody response, to xenogeneic red blood cell challenge in the Japanese quail, 259-265

Antigen-antibody binding energies, comparison between, 341-354

Antigenicity, of sperm in guinea pigs, 355-371

Antigens

antibody responses to xenogeneic red blood cell challenge in the Japanese quail, 259-265

immune response against antigencontaining liposomes, 489-498

putatively new antigen CSAp associated with gastrointestinal and ovarian neoplasia, 411-421

Vi antigen, development of a

localized hemolysis-ingel assay for, 149-165

Antilymphocyte antibody, induction of hapten-specific cell-mediated immunity in Rhesus monkeys treated with, 559-566

Antiserum, hamster T cell-specific antiserum, induction of in rabbits using hamster brain tissue, 567-576

"Arming," of macrophages with
lymphocytes from mice
immunized with tumor tissue, 297-319

Arthritis, rheumatoid, monoclonal gammopathies in, 577-584

Autoimmune diseases

antibody response to myelin basic protein; comparison between Lewis rats with experimental allergic encephalomyelitis and tolerant rats, 499-515

encephalitogenic region for guinea pigs, 23-31

encephalitogenic regions for the Lewis rat within the myelin basic protein, 13-21

hyperacute allergic encephalomyelitis, a single determinant, 227-237

В

B cells, adenosine deaminase activity during growth cycle of, 483-487

Binding energy, antigen-antibody binding energies and interfacial free energies, comparison between, 341-354

Binding specificity, of lectins from *Ulex europaeus* and *Lotus tetragonolobus*, 585-602

C

Canine studies, selective transport of an oligomeric IgA into canine saliva, 633-64

Cell-associated complement components, 111-132

Chick studies, induction of avian immunological responsiveness following cloacal drinking of immunogen, 195-206

Complement receptors, 111-132
Concanavalin A, functional activity of hemolytic antibody, effect of on, 283-296

CSAp antigen, 411-421

Cytotoxic antibodies, to cultured human lymphoid cells in polytransfused thrombocytopenic patients, 267-28

D

Delayed hypersensitivity, macrophage disappearance reaction as an *in vivo* test of in mice, 49-62

Dog studies. See Canine studies

E

Effector cells, tumor inhibition by effector cells cultured from progressing sarcomas, 617-632

Electrophoresis, identification and quantitation of solubilized I blood group substance by wheat germ agglutinin using quantitative immunoelectrophoresis, 167-181

Encephalitogenic region for guinea pigs, 23-31 for Lewis rat within myelin basic protein, 13-21 Encephalomyelitis

antibody response to myelin basic protein; comparison between Lewis rats with experimental allergic encephalomyelitis and tolerant rats, 499-515

encephalitogenic region for guinea pigs, 23-31

encephalitogenic regions for the Lewis rat within the myelin basic protein, 13-21

hyperacute allergic, a single determinant, 227-237

E-rosette assay, affinity binding in, influence of thymosin on, 423-435

Erythrocytes

antibody responses to xenogeneic red blood cell challenge in the Japanese quail, 259-265

rosette formation by human lymphocyte subpopulation with sheep, human, and horse red blood cells, 455-471

Experimental allergic encephalomyelitis (EAE)

antibody response to myelin basic protein, 499-515

encephalitogenic region for guinea pigs, 23-31

encephalitogenic regions for the Lewis rat within the myelin basic protein, 13-21

F

Fab fragments, crystallization of from an induced antibody, 373-384

Free energy, antigen-antibody binding energies and interfacial free energy, comparison between, 342-354 G

Guinea pig studies
sperm antigenicity, 355-371
tumor inhibition by effector
cells cultured from progressing sarcomas, 617-632

H

Hamster studies

immunoglobulins eluted from hamster SV40 tumors, characterization of, 133-147

T cell-specific antiserum, induction of in rabbits using hamster brain tissue, 567-576

Hemolytic antibody, effect of concanavalin A on functional activity of, 283-296

Human studies

adenosine deaminase activity during growth cycle of T and B lymphoid cell lines, 483-487

affinity binding in the Erosette assay, influence of thymosin on, 423-435

lymphocyte subpopulations; rosette formation with sheep, human, horse red blood cells, 455-471

putatively new antigen (CSAp) associated with gastrointestinal and ovarian neoplasia, 411-421

rheumatoid arthritis, monoclonal gammopathies in, 577-584

Hyperacute allergic encephalomyelitis, a single determinant, 227-237

I

IgA, selective transport of an oligomeric IgA into canine saliva, 633-642

IgE, preparation of high-titered
 rabbit anti-mouse IgE sera,
 473-482

IgM, isolation and identification of the Cu4-domain of, 33-47

Immunity, hapten-specific cellmediated in Rhesus monkeys treated with adsorbent purified antilymphocyte antibody, 599-566

Immunization, with normal allogeneic tissues, syngeneic tumor rejection induced by, 547-558

Immunoelectrophoresis, identification and quantitation of solubilized I blood group substance by wheat germ agglutinin using quantitative immunoelectrophoresis, 167-181

Immunogen, cloacal drinking of
 by chicks, induction of
 immunological responsiveness by, 195-206

Immunoglobulins

Cµ4-domain of IgM, isolation and identification of, 33-47

characterization of, eluted from hamster SV40 tumors, 133-147

Interfacial free energy, antigenantibody binding energies and; comparison between, 341-354

J

Japanese quail studies, antibody responses to xenogeneic red blood cell challenge in the Japanese quail, 259-265

L

Lectins, binding specificities of lectins from *Ulex*

europaeus and Lotus tetragonolobus, 585-602

Lewis rat studies, antibody response to myelin basic protein, 499-515

Liposomes, antigen-containing, immune response against, 489-498

Lotus tetragonolobus, binding specificity of lectins from 585-602

Lymphocytes

affinity binding in the Erosette assay, influence thymosin on, 423-435

"arming" of macrophages with lymphocytes from mice imm ized with tumor tissue, 297-319

mitogen-induced proliferation of, effect of serum and serum components on, 395-410

mitogen responsiveness of, from mice bearing Moloney sarcoma virus, 603-615

rosette formation by human lymphocyte subpopulations with sheep, human, and horse red blood cells, 455-471

Lymphocyte transformation, temperature effects on in vitro, 63-80

Lymphoid cells

adenosine deaminase activity during growth cycle of T and B lymphoid cell lines 483-487

in cultured human cells in polytransfused thrombocytopenic patients, cytotoxic antibodies to, 267-282

M

Macrophage disappearance reaction (MDR), as an *in vivo* test of delayed

hypersensitivity in mice, 49-62

Macrophages, "arming" of with lymphocytes from mice immunized with tumor tissue, 297-319

Mitogen-induced proliferation, of murine lymphocytes, effect of serum and serum components on, 395-410

Mitogen responsiveness, of
lymphocytes from mice bearing Moloney sarcoma virus
induced tumors, 603-615

Moloney sarcoma virus, alterations in mitogen responsiveness of lymphocytes from mice bearing, 603-615

Monkey studies, induction of hapten-specific cell-mediated immunity in Rhesus monkeys treated with adsorbent purified antilymphocyte antibody, 559-566

Monoclonal gammopathies, in rheumatoid arthritis, 577-584

MOPC 104E, variant of which does not react with dextran B-13553, 385-394

Mouse studies

"arming" of macrophages with lymphocytes from mice immunized with tumor tissue, 297-319

macrophage disappearance reaction as an *in vivo* test of delayed hypersensitivity in mice, 49-62

mitogen responsiveness of lymphocytes from mice bearing Moloney sarcoma virus induced tumors, 603-615

MOPC 104E, variant of which does not react with dextran B-13553, 385-394

proliferation of murine lymphocytes, effect of serum and serum components on, 395-410 rabbit anti-mouse IgE sera, preparation of, 473-482

syngeneic tumor rejection induced by immunization with normal allogeneic tissues, 547-558

tolerance induction as an index of age-related changes, 239-257

Vi-specific response of nude and normal mice, 149-165

Murine lymphocytes, mitogen-induced proliferation of, effect of serum and serum components on, 395-410

Murine SAA, isolation and structural properties of, 1-12

Myelin basic protein

antibody response to; comparison between Lewis rats with experimental allergic encephalomyelitis and tolerant rats, 499-515

encephalitogenic regions for the Lewis rat within, 13-21

N

Neoplasia, putatively new antigen (CSAp) associated with gastrointestinal and ovarian neoplasia, 411-421

P

Peripheral blood lymphocytes, affinity binding in the Erosette assay, influence of thymosin on, 423-435

PFC response, Vi-specific response of nude and normal mice, 149-165

Plasmacytoma MOPC 104E, variant of which does not react with dextran B-13553, 385-394

Proliferation, mitogen-induced, of murine lymphocytes, effect of serum and serum components on, 395-410

Q

Quail studies, antibody responses to xenogeneic red blood cell challenge in the Japanese quail, 259-265

Quantitative immunoelectrophoresis, identification and quantitation of solubilized I blood group substance by wheat germ agglutinin using, 167-181

R

Rabbit studies

anti-mouse IgE sera, preparation of high-titered, 473-482

Fab fragments, crystallization of from an induced antibody, 373-384

hamster T cell-specific antiserum, induction of in rabbits using hamster brain tissue, 567-576

immune response against antigen-containing liposomes, 489-498

Rat studies

antibody response to myelin basic protein, 499-515

encephalitogenic regions for the Lewis rat within the myelin basic protein, 13-21

lymphocyte transformation, temperature effects on *in* vitro, 63-80

Receptors, complement receptors and cell associated complement components, 111-132

Red blood cells. See Erythrocytes
Rhesus monkey studies, induction
of hapten-specific cellmediated immunity in Rhesus
monkeys treated with adsorbent purified antilympho-

cyte antibody, 559-566

Rheumatoid arthritis, monoclonal gammopathies in, 577-584

Rosettes

affinity binding in the Erosette assay, influence o thymosin on, 423-435

formation of by human lymphocyte subpopulation with sheep, human, and horse red blood cells, 455-471

S

Sarcoma

mitogen responsiveness of
lymphocytes from mice bear
ing Moloney sarcoma virus
induced tumors, 603-615

tumor inhibition by effector cells cultured from progressing sarcomas, 617-632

Selective transport, of an oligomeric IgA into canine saliva, 633-642

Solubilized I blood group substance, identification and quantitation of by wheat germ agglutinin using quantitative immunoelectrophoresis, 167-181

Sperm, antigenicity of in guines pigs, 355-371

Syngeneic tumors, rejection of, induced by immunization with normal allogeneic tissues, 547-558

T

T cells, adenosine deaminase activity during growth cycle of, 483-487

Thymosin, influence of on affinity binding in the Erosette assay, 423-435

Tolerance induction

effect of tolerogen concentration and duration of exposure on, 183-194 as an index of age-related changes, 239-257

olerogen, effect on in vitro tolerance induction to a thymus-dependent antigen, 183-194

cansport, selective, of an
 oligomeric IgA into canine
 saliva, 633-642

mors

"arming" of macrophages with lymphocytes from mice immunized with tumor tissue, 297-319

immunoglobulins eluted from hamster SV40 tumors, characterization of, 133-147

inhibition by effector cells cultured from progressing sarcomas, 617-632

mitogen responsiveness of lymphocytes from mice bearing Moloney sarcoma virus induced tumors, 603-615

putatively new antigen (CSAp) associated with gastrointestinal and ovarian neoplasia, 411-421

syngeneic tumor rejection induced by immunization with normal allogeneic tissues, 547-558 Turbidimetry, antibody concentration, determination of using a stopped-flow turbidimetric technique, 517-535

IJ

Ulex europaeus, binding specificity of lectins from, 585-602

V

Vi antigens, localized hemolysisin-gel assay for, 149-165

W

Wheat germ agglutinin, identification and quantitation of solubilized blood group substance by using quantitative immunoelectrophoresis, 167-181

X

Xenogeneic red blood cell challenge, in the Japanese quail, antibody responses to, 259-265

HANDBOOK OF Radioimmunoassay

edited by GUY E. ABRAHAM, M.D. U.C.L.A. School of Medicine Torrance, California

> March, 1977 832 pages, illustrated


(Clinical and Biochemical Analysis Series, Volume 5)

- This is the only available book to give extensive coverage—in separate chapters—to statistical evaluation of radioimmunoassay, instrumentation, and radiation safety in the performance of radioimmunoassay.
- Handbook of Radioimmunoassay provides clear, detailed descriptions of ways to set up radioimmunoassay procedures for a variety of polypeptides and low-molecular weight compounds.
- Geared toward enabling the relatively inexperienced radioimmunoassayist to set up
 assay systems with a minimum of difficulty. Handbook of Radioimmunoassay is of
 value to medical technologists, lab technicians, lab supervisors, clinicians, and researchers in experimental medicine and commercial laboratories.

NTENTS: Generalities. Radiation Safety in the Performance of Radioimmunoassay, J. W. Patrick. Instrustation in Radioimmunoassay, M. M. Lubran, Theoretical Aspects of Radioimmunoassay, W. H. C. Walker P. M. Keane. Immunoradiometric Assay (IRMA) and Two-site IRMA Systems (Assay of Soluble Antigens ng Labeled Antibodies), L. E. M. Miles. Hormonal Polypeptides. Radioimmunoassay for Human Prolactin, L. Aubert. Radioimmunoassay of Oxytocin, T. Chard. Radioimmunoassay of Relaxin, G. D. Bryantenwood. Radioimmunoassay of Insulin, M. A. Wilson and L. E. M. Miles. Radioimmunoassay of Glucagon, Foà, T. Matsuyama, and N. L. Foà. Radioimmunoassay of Corticotropin (ACTH), R. A. Donald. Measuret of Human Calcitonin by Affinity Chromatography and Radioimmunoassay, D. R. Wright, E. F. Voelkel, A. H. Tashjian, Jr. Parathyroid Hormone, G. N. Hendy and J. L. H. O'Riordan. Radioimmunoassay of trin, J. Hansky and C. Soveny. Radioimmunoassay of Secretin, D. J. Byrnes. Bradykinin, C. E. Odya and . Goodfriend. Angiotensins and Renin, T. L. Goodfriend and D. L. Ball. Nonhormonal Polypeptides. ioimmunoassay of Collagenase, E. A. Bauer, A. Z. Eisen, and J. J. Jeffrey. Radioimmunoassay of α-Fetoein, E. Ruoslahti and M. Seppalä. Radioimmunoassay of the Rheumatoid Factors, D. Focan-Henrard and ranchimont. Low Molecular Weight Compounds. Radioimmunoassay of Steroids, G. E. Abraham, F. S. limos, and R. Garza. Radioimmunoassay of Prostaglandins, K. T. Kirton. Radioimmunoassay of Iodothyros, I. J. Chopra. Radioimmunoassay of the Iodotyrosines, J. C. Nelson and J. E. Lewis. Radioimmunoassay ntibiotics, J. E. Lewis and J. C. Nelson. Folate, M. daCosta and S. P. Rothenberg.

ISBN: 0-8247-6453-6





Part I

This volume presents a comprehensive description of biological, physical, ultra-structural, and immunologic properties of the varied populations of cells that are collectively termed lymphocytes. The complex sets of phenomena in which lymphocytes participate are discussed, and structural and functional aspects of the cells are examined in detail.

- It is the only book available to collect in one volume viewpoints in lymphocyte biology and physiology
 as diverse as the application of phylogenetic studies to the origins of lymphoid tissues and physicochemic
 approaches to molecular events at the lymphocyte surface
- Fundamental topics in cell biology, such as ultrastructural analyses of lymphocytes and their plasma membranes and functions of lipids in the plasma membrane, are included
- New information is examined in such rapidly expanding areas as cell interactions in immune responses, genetics of immune responses, and surface antigens of normal and neoplastic lymphyocytes

Written by noted authorities in the field, *The Lymphocyte: Structure and Function* is of paramount interest to immunologists, cell biologists, developmental biologists, membrane biologists and biochemists, physicians, and veterinarians.

CONTENTS (Part II): Biological and Structural Properties of the Lymphocyte Surface. The Lymphocyte Plasm Membrane: Isolation and Properties of Biologicaly Relevant Proteins, John J. Marchalonis. Surface Antigens a Receptors of Normal and Neoplastic Lymphocytes: Nature and Distribution, Noel Warner and Ian F. C. McKer Use of Lectins as Probes of Lymphocyte Structure and Function, John D. Stobo. Ultrastructure of the Lymph Surface, T. E. Mandel and Vivien B. Santer. The Surface Coat of Lymphocytes, Vivien B. Santer. Dynamic Aspects of the Lymphocyte Surface, Robert E. Cone. Structure and Physiologic Role of Lipids in the Lympho Membrane, Ernst Feber and Klaus Resch.

ISBN: 0-8247-6419-6



INSTRUCTIONS FOR PREPARATION OF MANUSCRIPTS FOR

IMMUNOLOGICAL COMMUNICATIONS is a binonthly journal in the English language for the rapid ommunication of immunological information.

Directions for Submission to IMMUNOLOGICAL COM-

One manuscript suitable for direct reproduction (see nstructions for Preparation), carefully inserted in a older, and two copies of the manuscript must be subnitted.

Reprints

Owing to the short production time for articles in this purnal it is essential to indicate the number of reprints aguired upon notification of acceptance of the manucript. Reprints are available in quantities of 100 and mulples thereof, in addition to the twenty (20) free copies rovided to the senior author with orders of 100 or more eprints; a reprint price list will be sent to the senior uthor with the notification of acceptance of the manucript.

fanuscripts should be mailed to:

Editorial Office, The Center for Immunology 203 Sherman Hall, School of Medicine State University of New York at Buffalo Buffalo, New York 14214

NSTRUCTIONS FOR THE PREPARATION OF

Since all the contributions are reproduced by direct hotography of the manuscripts, the following intructions must be strictly adhered to. Non-compliance fill result in the return of the manuscript to the author(s) and delay in its publication.

yping Instructions

- Manuscript must be typewritten, double spaced, on good quality white bond paper measuring at least 8½ x 11 inches.
- It is essential to use a <u>black</u> typewriter ribbon in good condition so that a clean and clear impression of the letters is obtained. Erasure marks, smudges, creases, etc., should be avoided. (Errors <u>may</u> be corrected by using white opaque correcting fluids or tapes).
- . All formulas and equations should be typed in or carefully prepared in permanent black ink, using drawing instruments.
- The typing area of page 1, including the title, should be 6% by 8% inches and that of all other pages 6% x 9% inches. Make maximum use of the typing area.
- Tables should be typed as part of the text but in such a way as to separate them from the text by a three-line space at both top and bottom of each table. The title "TABLE" (capitalized and followed by a Roman number) should precede the table and be centered on the page. Care should be taken that a table does not overlap onto the next page.
- Drawings, graphs and other numbered figures should be drawn in black India ink (do not use blue ink) on a separate piece of white paper. Photographs should be glossy prints. Lettering set should be used for all labels on the figures or photographs; a typewriter may be used for labels. Captions for the figures should be

typed (single spaced) on a separate sheet, along the full width of the type page. The indication "FIGURE" should be capitalized and, with the figure's number (in Arabic numerals), centered above the caption. The numbers of the figures or photographs as well as the name(s) of the author(s) should be written in blue pencil on the back; the top of the picture should also be indicated on the back. The author(s) should indicate (with a blue pencil) the places in the text where the picture(s) should be inserted.

7. References (including footnotes) in the text will be numbered consecutively by numbers in parentheses. The full references (and footnotes) will be collected at the end of the text. The last names of all authors to any one paper, followed by their initials, shall be quoted. The title of the journal (Chemical Abstracts abbreviations), the volume number (underlined), the first page and the year should follow, in that order. Books should be cited similarly and include the publisher's name and location along with the year and edition of the book. Articles or chapters in books should be cited similarly and include the name of the editor(s) of the book and the page on which the article begins, as well as the volume number.

(journal): Thrasher, S. G., Doroszczak, N. and Cohen, S., J. Immun., 107:1394, 1971.

(book): Pressman, D. and Grossberg, A. L., The
Structural Basis of Antibody Specificity.
W. A. Benjamin, Inc., New York, 1968.

(article in a book): Milgrom, F., in International Convocation on Immunology, edited by N. R.
Rose and F. Milgrom, p. 270, S. Karger, New
York, 1969.

Format of Manuscripts

The entire title should be in capital letters and centered on the width of the typing area, at least two inches from the top of the page. This is followed by a one-line space and then by the name(s) and address(es) of the author(s), in the following way:

AUTOIMMUNE RESPONSES TO THYROGLOBULIN IN THE RAT

T. J. Atkins and H. Z. Ginsberg
Departments of Microbiology and Pathology,
School of Medicine, State University of New York
at Buffalo, Buffalo, New York 14214

- The title and the name and address of the author(s) are followed, after a three-line space, by an abstract, comprising less than 10% of the length of the text of the article. The abstract must be typed single-spaced and headed "Abstract".
- 3. After a three-line space, the article itself commences, whenever possible subdivided into sections such as "Materials and Methods," "Results," "Discussion," "Acknowledgments" and "References." The headings should be centered, underlined, and separated by one extra line space from the typed material that precedes and follows it.
- Each page of manuscript should be numbered lightly at the bottom of the sheet, with a blue pencil.

IMMUNOLOGICAL COMMUNICATIONS

Volume 6, Number 6, 1977

CONTENTS

Protection against Syngeneic Tumor Grafts Induced by Innoculation with

R. H. Bear, Jr., O. A. Roholt, and D. Pressman	547
Induction of Hapten-Specific Cell-Mediated Immunity in Rhesus Monkeys Treated with Adsorbent Purified Antilymphocyte Antibody B. J. Wilson, G. Leo, and A. Malley	559
Induction of Hamster T Cell-Specific Antiserum in Rabbits Using Hamster Brain Tissue	567
Monoclonal Gammopathies in Rheumatoid Arthritis	577
A Comparison of the Binding Specificities of Lectins from Ulex europaeus and Lotus tetragonolobus	.585
Alterations in the Mitogen Responsiveness of Lymphocytes from Mice Bearing Moloney Sarcoma Virus Induced Tumors	603
Tumor Inhibition by Effector Cells Cultured from Progressing Sarcomas I. Berczi and A. H. Sehon	617
Selective Transport of an Oligomeric IgA into Canine Saliva	633
Erratum	643
Book Reviews	645
Author Index to Volume 6	661

MARCEL DEKKER, INC. New York and Basel Contributions to this journal are published free of charge

Subject Index to Volume 6